Contents to volume 259

Discussion Letter

Na^+/H^+ exchange and Ca^{2+} influx (FEB 07895) *W. Siffert, J.W.N. Akkerman* 1

Research Letters

In vitro translation of halobacterial mRNA (FEB 07847) *R. Gropp, D. Oesterhelt* 5

Identification of induced protein kinase activities specific for the ribosomal proteins uniquely phosphorylated during infection of HeLa cells with vaccinia virus (FEB 07849) *G. Beaud, T. Masse, J.-J. Madjar, D.P. Leader* 10

Evidence for reversible multiple redox transformations of [3Fe-4S] clusters (FEB 07865) *F.A. Armstrong, J.N. Butt, S.J. George, E.C. Hatchikian, A.J. Thomson* 15

Glucose-induced oscillations of intracellular Ca^{2+} concentration resembling bursting electrical activity in single mouse islets of Langerhans (FEB 07866) *M. Valdeolmillos, R.M. Santos, D. Contreras, B. Soria, L.M. Rosario* 19

Bacteriorhodopsin as a possible chloride pump (FEB 07914) *A. Dér, R. Tóth-Boconádi, L. Keszthelyi* 24

A patch-clamp study of ion channels of inner and outer membranes and of contact zones of *E. coli*, fused into giant liposomes: Pressure-activated channels are localized in the inner membrane (FEB 07912) *C. Berrier, A. Coulombe, C. Houssin, A. Ghazi* 27

Heterogeneity of ATP-hydrolyzing sites on reconstituted CF_0F_1 (FEB 07913) *P. Fromme, P. Gräber* 33

Potassium channels from NG108-15 neuroblastoma-glioma hybrid cells: Primary structure and functional expression from cDNAs (FEB 07915) *S. Yokoyama, K. Imoto, T. Kawamura, H. Higashida, N. Iwabe, T. Miyata, S. Numa* 37

The hexose carrier from *Chlorella*: cDNA cloning of a eucaryotic H^+-cotransporter (FEB 07916) *N. Sauer, W. Tanner* 43

Cupredoxines of obligate methylotroph (FEB 07917) *T. Dinarieva, A. Netrusov* 47

The in vivo phosphorylation sites of bovine αB-crystallin (FEB 07918) *C.E.M. Voorter, W.A. de Haard-Hoekman, E.S. Roersma, H.E. Meyer, H. Bloemendal, W.W. de Jong* 50

Protein S binding in relation to the subunit composition of human C4b-binding protein (FEB 07919) *A. Hillarp, M. Hessing, B. Dahlbäck* 53

Protein kinase C phosphorylates DNA topoisomerase I (FEB 07921) *D.S. Samuels, Y. Shimizu, N. Shimizu* 57

Potent selective inhibitors of protein kinase C (FEB 07920) *P.D. Davis, C.H. Hill, E. Keech, G. Lawton, J.S. Nixon, A.D. Sedgwick, J. Wadsworth, D. Westmacott, S.E. Wilkinson* 61

Phospholipase D activation by the mitogens platelet-derived growth factor and 12-*O*-tetradecanoylphorbol 13-acetate in NIH-3T3 cells (FEB 07922) *P. Ben-Av, M. Liscovitch* 64

Histamine and bradykinin stimulate the phosphoinositide turnover in human umbilical vein endothelial cells via different G-proteins (FEB 07923) *T.A. Voyno-Yasenetskaya, M.P. Panchenko, E.V. Nupenko, V.O. Rybin, V.A. Tkachuk* 67

Gene structure and 5′-upstream sequence of rat cathepsin L (FEB 07924) *K. Ishidoh, E. Kominami, K. Suzuki, N. Katunuma* 71

A synthetic peptide substrate specific for casein kinase-1 (FEB 07926) *P. Agostinis, L.A. Pinna, F. Meggio, O. Marin, J. Goris, J.R. Vandenheede, W. Merlevede* 75

Neuropeptide Y-induced intracellular Ca^{2+} increases in vascular smooth muscle cells (FEB 07927) *S. Mihara, Y. Shigeri, M. Fujimoto* 79

The efficiency of interaction of deoxyribonucleoside-5′-mono-, di- and triphosphates with the active centre of *E. coli* DNA polymerase I Klenow fragment (FEB 07925) *S.V. Doronin, G.A. Nevinsky, T.O. Malygina, V.N. Podust, V.V. Khomov, O.I. Lavrik* 83

Expression of retinoic acid receptor genes in keratinizing front of skin (FEB 07934) *S. Noji, T. Yamaai, E. Koyama, T. Nohno, W. Fujimoto, J. Arata, S. Taniguchi* 86

Inhibition by glucosamine of myristoylation in human H9 lymphocytes and rat liver cells (FEB 07928) *C. Jacobsen, H. Andreassen, T. Saermark* 91

Evidence for leukotriene C_4 transport mediated by an ATP-dependent glutathione S-conjugate carrier in rat heart and liver plasma membranes (FEB 07929) *T. Ishikawa, K. Kobayashi, Y. Sogame, K. Hayashi* 95

Cell surface sialic acid affects immunoglobulin binding to macrophages (FEB 07930) *W. Gorczyca, Z. Wieczorek, J. Lisowski* 99

Antibacterial and antimalarial properties of peptides that are cecropin-melittin hybrids (FEB 07931) *H.G. Boman, D. Wade, I.A. Boman, B. Wåhlin, R.B. Merrifield* 103

Onset of transcription of the aminopeptidase N (leukemia antigen CD 13) gene at the crypt/villus transition zone during rabbit enterocyte differentiation (FEB 07932) *O. Norén, E. Dabelsteen, P.E. Høyer, J. Olsen, H. Sjöström, G.H. Hansen* 107

Nuclear envelope assembly around sperm chromatin in cell-free preparations from *Drosophila* embryos (FEB 07933) *N. Ulitzur, Y. Gruenbaum* 113

Isolation and N-terminal amino acid sequence of an octopamine ligand binding protein (FEB 07936) *J.A. Nathanson, L. Kantham, E.J. Hunnicutt* 117

Recombinant core particles of hepatitis B virus exposing foreign antigenic determinants on their surface (FEB 07937) *G.P. Borisova, I. Berzins, P.M. Pushko, P. Pumpen, E.J. Gren, V.V. Tsibinogin, V. Loseva, V. Ose, R. Ulrich, H. Siakkou, H.A. Rosenthal* 121

Yeast vacuolar aminopeptidase yscI: Isolation and regulation of the APE1 (LAP4) structural gene (FEB 07935) *R. Cueva, N. Garcia-Alvarez, P. Suárez-Rendueles* 125

Purification of a novel pyruvate kinase from a green alga (FEB 07951) *V.L. Knowles, D.T. Dennis, W.C. Plaxton* 130

Scapharca hemoglobins, type cases of a novel mode of chain assembly and heme-heme communication: Amino acid sequence and subunit interactions of the tetrameric component (FEB 07939) *R. Petruzzelli, A. Boffi, D. Barra, F. Bossa, F. Ascoli, E. Chiancone* 133

The inner mitochondrial membrane contains ion-conducting channels similar to those found in bacteria (FEB 07940) *V. Petronilli, I. Szabò, M. Zoratti* 137

Utilization of alanine for glucose formation in isolated rabbit kidney-cortex tubules (FEB 07941) *K. Zablocki, J. Bryla* 144

Surfactant enhancement of polyethyleneglycol-induced cell fusion (FEB 07942) *A. Prado, M.A. Partearroyo, M. Mencia, F.M. Goñi, E. Barberá-Guillem* 149

Molecular cloning, cDNA structure and predicted amino acid sequence of bovine 3β-hydroxy-5-ene steroid dehydrogenase/Δ^5-Δ^4 isomerase (FEB 07943) *H.-F. Zhao, J. Simard, C. Labrie, N. Breton, E. Rhéaume, V. Luu-The, Fernand Labrie* 153

Enhanced transcription of c-myc proto-oncogene in spleen lymphocytes from lupus-prone mice during the growing process (FEB 07944) *Y. Deguchi, S. Kishimoto* 158

Lumen-side topography of the α-subunit of the chloroplast cytochrome *b*-559 (FEB 07945) *G.-S. Tae, W.A. Cramer* 161

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Contents to volume 259

Discussion Letter

Na^+/H^+ exchange and Ca^{2+} influx (FEB 07895) *W. Siffert, J.W.N. Akkerman* 1

Research Letters

In vitro translation of halobacterial mRNA (FEB 07847) *R. Gropp, D. Oesterhelt* 5

Identification of induced protein kinase activities specific for the ribosomal proteins uniquely phosphorylated during infection of HeLa cells with vaccinia virus (FEB 07849) *G. Beaud, T. Masse, J.-J. Madjar, D.P. Leader* 10

Evidence for reversible multiple redox transformations of [3Fe-4S] clusters (FEB 07865) *F.A. Armstrong, J.N. Butt, S.J. George, E.C. Hatchikian, A.J. Thomson* 15

Glucose-induced oscillations of intracellular Ca^{2+} concentration resembling bursting electrical activity in single mouse islets of Langerhans (FEB 07866) *M. Valdeolmillos, R.M. Santos, D. Contreras, B. Soria, L.M. Rosario* 19

Bacteriorhodopsin as a possible chloride pump (FEB 07914) *A. Dér, R. Tóth-Boconádi, L. Keszthelyi* 24

A patch-clamp study of ion channels of inner and outer membranes and of contact zones of *E. coli*, fused into giant liposomes: Pressure-activated channels are localized in the inner membrane (FEB 07912) *C. Berrier, A. Coulombe, C. Houssin, A. Ghazi* 27

Heterogeneity of ATP-hydrolyzing sites on reconstituted CF_0F_1 (FEB 07913) *P. Fromme, P. Gräber* 33

Potassium channels from NG108-15 neuroblastoma-glioma hybrid cells: Primary structure and functional expression from cDNAs (FEB 07915) *S. Yokoyama, K. Imoto, T. Kawamura, H. Higashida, N. Iwabe, T. Miyata, S. Numa* 37

The hexose carrier from *Chlorella*: cDNA cloning of a eucaryotic H^+-cotransporter (FEB 07916) *N. Sauer, W. Tanner* 43

Cupredoxines of obligate methylotroph (FEB 07917) *T. Dinarieva, A. Netrusov* 47

The in vivo phosphorylation sites of bovine αB-crystallin (FEB 07918) *C.E.M. Voorter, W.A. de Haard-Hoekman, E.S. Roersma, H.E. Meyer, H. Bloemendal, W.W. de Jong* 50

Protein S binding in relation to the subunit composition of human C4b-binding protein (FEB 07919) *A. Hillarp, M. Hessing, B. Dahlbäck* 53

Protein kinase C phosphorylates DNA topoisomerase I (FEB 07921) *D.S. Samuels, Y. Shimizu, N. Shimizu* 57

Potent selective inhibitors of protein kinase C (FEB 07920) *P.D. Davis, C.H. Hill, E. Keech, G. Lawton, J.S. Nixon, A.D. Sedgwick, J. Wadsworth, D. Westmacott, S.E. Wilkinson* 61

Phospholipase D activation by the mitogens platelet-derived growth factor and 12-*O*-tetradecanoylphorbol 13-acetate in NIH-3T3 cells (FEB 07922) *P. Ben-Av, M. Liscovitch* 64

Histamine and bradykinin stimulate the phosphoinositide turnover in human umbilical vein endothelial cells via different G-proteins (FEB 07923) *T.A. Voyno-Yasenetskaya, M.P. Panchenko, E.V. Nupenko, V.O. Rybin, V.A. Tkachuk* 67

Gene structure and 5′-upstream sequence of rat cathepsin L (FEB 07924) *K. Ishidoh, E. Kominami, K. Suzuki, N. Katunuma* 71

A synthetic peptide substrate specific for casein kinase-1 (FEB 07926) *P. Agostinis, L.A. Pinna, F. Meggio, O. Marin, J. Goris, J.R. Vandenheede, W. Merlevede* 75

Neuropeptide Y-induced intracellular Ca^{2+} increases in vascular smooth muscle cells (FEB 07927) *S. Mihara, Y. Shigeri, M. Fujimoto* 79

The efficiency of interaction of deoxyribonucleoside-5′-mono-, di- and triphosphates with the active centre of *E. coli* DNA polymerase I Klenow fragment (FEB 07925) *S.V. Doronin, G.A. Nevinsky, T.O. Malygina, V.N. Podust, V.V. Khomov, O.I. Lavrik* 83

Expression of retinoic acid receptor genes in keratinizing front of skin (FEB 07934) *S. Noji, T. Yamaai, E. Koyama, T. Nohno, W. Fujimoto, J. Arata, S. Taniguchi* 86

Inhibition by glucosamine of myristoylation in human H9 lymphocytes and rat liver cells (FEB 07928) *C. Jacobsen, H. Andreassen, T. Saermark* 91

Evidence for leukotriene C_4 transport mediated by an ATP-dependent glutathione S-conjugate carrier in rat heart and liver plasma membranes (FEB 07929) *T. Ishikawa, K. Kobayashi, Y. Sogame, K. Hayashi* 95

Cell surface sialic acid affects immunoglobulin binding to macrophages (FEB 07930) *W. Gorczyca, Z. Wieczorek, J. Lisowski* 99

Antibacterial and antimalarial properties of peptides that are cecropin-melittin hybrids (FEB 07931) *H.G. Boman, D. Wade, I.A. Boman, B. Wåhlin, R.B. Merrifield* 103

Onset of transcription of the aminopeptidase N (leukemia antigen CD 13) gene at the crypt/villus transition zone during rabbit enterocyte differentiation (FEB 07932) *O. Norén, E. Dabelsteen, P.E. Høyer, J. Olsen, H. Sjöström, G.H. Hansen* 107

Nuclear envelope assembly around sperm chromatin in cell-free preparations from *Drosophila* embryos (FEB 07933) *N. Ulitzur, Y. Gruenbaum* 113

Isolation and N-terminal amino acid sequence of an octopamine ligand binding protein (FEB 07936) *J.A. Nathanson, L. Kantham, E.J. Hunnicutt* 117

Recombinant core particles of hepatitis B virus exposing foreign antigenic determinants on their surface (FEB 07937) *G.P. Borisova, I. Berzins, P.M. Pushko, P. Pumpen, E.J. Gren, V.V. Tsibinogin, V. Loseva, V. Ose, R. Ulrich, H. Siakkou, H.A. Rosenthal* 121

Yeast vacuolar aminopeptidase yscI: Isolation and regulation of the APE1 (LAP4) structural gene (FEB 07935) *R. Cueva, N. Garcia-Alvarez, P. Suárez-Rendueles* 125

Purification of a novel pyruvate kinase from a green alga (FEB 07951) *V.L. Knowles, D.T. Dennis, W.C. Plaxton* 130

Scapharca hemoglobins, type cases of a novel mode of chain assembly and heme-heme communication: Amino acid sequence and subunit interactions of the tetrameric component (FEB 07939) *R. Petruzzelli, A. Boffi, D. Barra, F. Bossa, F. Ascoli, E. Chiancone* 133

The inner mitochondrial membrane contains ion-conducting channels similar to those found in bacteria (FEB 07940) *V. Petronilli, I. Szabò, M. Zoratti* 137

Utilization of alanine for glucose formation in isolated rabbit kidney-cortex tubules (FEB 07941) *K. Zablocki, J. Bryla* 144

Surfactant enhancement of polyethyleneglycol-induced cell fusion (FEB 07942) *A. Prado, M.A. Partearroyo, M. Mencia, F.M. Goñi, E. Barberá-Guillem* 149

Molecular cloning, cDNA structure and predicted amino acid sequence of bovine 3β-hydroxy-5-ene steroid dehydrogenase/Δ^5-Δ^4 isomerase (FEB 07943) *H.-F. Zhao, J. Simard, C. Labrie, N. Breton, E. Rhéaume, V. Luu-The, Fernand Labrie* 153

Enhanced transcription of c-myc proto-oncogene in spleen lymphocytes from lupus-prone mice during the growing process (FEB 07944) *Y. Deguchi, S. Kishimoto* 158

Lumen-side topography of the α-subunit of the chloroplast cytochrome *b*-559 (FEB 07945) *G.-S. Tae, W.A. Cramer* 161

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Limited proteolysis of C1-inhibitor by chymotrypsin-like proteinases (FEB 07946) *O.L. Schoenberger, J.L. Sprows, N.M. Schechter, B.S. Cooperman, H. Rubin* 165

Lipoxins are major lipoxygenase products of rainbow trout macrophages (FEB 07947) *T.R. Pettitt, A.F. Rowley, C.J. Secombes* 168

S-phase inhibitors induce vimentin expression in human promonocytic U-937 cells (FEB 07948) *F. Mata, C. Rius, C. Cabañas, C. Bernabeu, P. Aller* 171

Establishment of mouse and rat hepatoma cell clones showing stable expression of rabbit cytochrome P450 IA2 (FEB 07949) *L. Corcos, C. Rechenmann, M.C. Weiss, D. Pompon* 175

A Lateral Cap model of microtubule dynamic instability (FEB 07950) *P. Bayley, M. Schilstra, S. Martin* 181

Loss of calcium sensitivity of plasma gelsolin is associated with the presence of calcium ions during preparation (FEB 07952) *B. Pope, J. Gooch, H. Hinssen, A.G. Weeds* 185

Effect of insulin on glucose transporter distribution in white fat cells from hypophysectomized rats (FEB 07953) *S. Keller, J. Zapf* 189

Crystallization of proteins under microgravity (FEB 07886) *V.A. Erdmann, C. Lippmann, C. Betzel, Z. Dauter, K. Wilson, R. Hilgenfeld, J. Hoven, A. Liesum, W. Saenger, A. Müller-Fahrnow, W. Hinrichs, M. Düvel, G.E. Schulz, C.W. Müller, H.G. Wittmann, A. Yonath, G. Weber, K. Stegen, A. Plaas-Link* 194

Secretion of islet amyloid polypeptide in response to glucose (FEB 07954) *A. Kanatsuka, H. Makino, H. Ohsawa, Y. Tokuyama, T. Yamaguchi, S. Yoshida, M. Adachi* 199

Expression of a deletion mutant of the prosegment of human prorenin in Chinese hamster ovary cells (FEB 07957) *M. Nagahama, K. Nakayama, H. Hori, K. Murakami* 202

Rapid actions of 1α,25-dihydroxyvitamin D_3 on Ca^{2+} and phospholipids in isolated rat liver nuclei (FEB 07955) *D.T. Baran, A.M. Sorensen, T.W. Honeyman, R. Ray, M.F. Holick* 205

Platelet-activating factor (PAF) acts as an intercellular messenger in the changes of cytosolic free Ca^{2+} in human neutrophils induced by opsonized particles (FEB 07956) *A.T.J. Tool, A.J. Verhoeven, D. Roos, L. Koenderman* 209

A single point mutation confers tetrodotoxin and saxitoxin insensitivity on the sodium channel II (FEB 07985) *M. Noda, H. Suzuki, S. Numa, W. Stühmer* 213

Functional expression of the calcium release channel from skeletal muscle ryanodine receptor cDNA (FEB 07974) *R. Penner, E. Neher, H. Takeshima, S. Nishimura, S. Numa* 217

Notes to Authors 223

FEBS News 225

Review Hypothesis

Gene duplication as a means for altering H^+/ATP ratios during the evolution of F_oF_1 ATPases and synthases (FEB 07981) *R.L. Cross, L. Taiz* 227

Research Letters

The structural gene for cytochrome c_{551} from *Pseudomonas aeruginosa*: The nucleotide sequence shows a location downstream of the nitrite reductase gene (FEB 07968) *M. Nordling, S. Young, B.G. Karlsson, L.G. Lundberg* 230

Carboxyl methylation of 21–23 kDa membrane proteins in intact neuroblastoma cells is increased with differentiation (FEB 07960) *R. Haklai, Y. Kloog* 233

Phosphatidylinositol hydrolysis by human plasma phospholipase D (FEB 07963) *J. Balsinde, F. Mollinedo* 237

Maize leaf phosphoenolpyruvate carboxylase: phosphorylation of Ser^{15} with a mammalian cyclic AMP-dependent protein kinase diminishes sensitivity to inhibition by malate (FEB 07964) *K. Terada, T. Kai, S. Okuno, H. Fujisawa, K. Izui* 241

A novel membrane factor stimulates guanine nucleotide exchange reaction of *ras* proteins (FEB 07965) *M. West, H. Kung, T. Kamata* 245

Expression of human granulocyte-macrophage colony-stimulating factor gene in insect cells by a baculovirus vector (FEB 07962) *C.-J. Chiou, M. Wu* 249

Fluorescence properties of the Ca^{2+},Mg^{2+}-ATPase protein of sarcoplasmic reticulum labeled with 7-chloro-4-nitrobenzo-2-oxa-1,3-diazole (FEB 07966) *G. Bailin, J.R. Huang* 254

Inhibition of intraerythrocytic development of *Plasmodium falciparum* by proteinase inhibitors (FEB 07967) *K.A. Rockett, J.H.L. Playfair, F. Ashall, G.A.T. Targett, H. Angliker, E. Shaw* 257

Direct activation of GTP-binding regulatory proteins (G-proteins) by substance P and compound 48/80 (FEB 07970) *M. Mousli, C. Bronner, Y. Landry, J. Bockaert, B. Rouot* 260

Small conductance chloride channels in the apical membrane of thyroid cells (FEB 07969) *G. Champigny, B. Verrier, C. Gérard, J. Mauchamp, M. Lazdunski* 263

Ca-ATPase isozyme expression in sarcoplasmic reticulum is altered by chronic stimulation of skeletal muscle (FEB 07959) *F.N. Briggs, K.F. Lee, J.J. Feher, A.S. Wechsler, K. Ohlendieck, K. Campbell* 269

The cyanelle genome of *Cyanophora paradoxa* encodes ribosomal proteins not encoded by the chloroplast genomes of higher plants (FEB 08000) *D.A. Bryant, V.L. Stirewalt* 273

Identification of three in vivo phosphorylation sites on the glycogen-binding subunit of protein phosphatase 1 from rabbit skeletal muscle, and their response to adrenaline (FEB 08001) *P. Dent, D.G. Campbell, F.B. Caudwell, P. Cohen* 281

Increased calcium permeability is not responsible for the rapid lethal effects of amphotericin B on *Leishmania sp.* (FEB 07972) *B.E. Cohen, G. Benaim, M.-C. Ruiz, F. Michelangeli* 286

Interleukin 1- and tumor necrosis factor-stimulation of prostaglandin E2 synthesis in MDCK cells, and potentiation of this effect by cycloheximide (FEB 07958) *J.D. Leighton, J. Pfeilschifter* 289

Liposome-associated retinoic acid: Increased in vitro antiproliferative effects on neoplastic cells (FEB 07971) *C. Nastruzzi, P. Walde, E. Menegatti, R. Gambari* 293

Identification of a reversible structural transition in the metal-depleted glycerol dehydrogenase from *Bacillus stearothermophilus* (FEB 07973) *P. Spencer, L.J. Paine, M.D. Scawen, T. Atkinson, M.G. Gore* 297

Angiotensin II stimulates angiotensinogen synthesis in hepatocytes by a pertussis toxin-sensitive mechanism (FEB 07975) *C. Klett, F. Muller, P. Gierschik, E. Hackenthal* 301

Fatty acid acylation of membrane skeletal proteins in human erythrocytes (FEB 07976) *D. Maretzki, M. Mariani, H.U. Lutz* 305

Component of the alternative oxidase localized to the matrix surface of the inner membrane of plant mitochondria (FEB 07977) *A.G. Rasmusson, I.M. Møller, J.M. Palmer* 311

Involvement of protein kinase C in the mitogenic and chemotaxis effects of basic fibroblast growth factor on bovine cerebral cortex capillary endothelial cells (FEB 07978) *I. Daviet, J.M. Herbert, J.P. Maffrand* 315

Antigenic determinants synthesized in a library of randomly cloned fragments of the HIV-1 genome (FEB 07979) *M.V. Mikhailov, A.L. Vasilyev, I.A. Nikolayeva, S.G. Arsenyan, E.D. Sverdlov* 318

Phosphorylation of the skeletal muscle AMP-deaminase by protein kinase C (FEB 07980) *E.K. Tovmasian, R.L. Hairapetian, E.V. Bykova, S.E. Severin, jr, A.V. Haroutunian* 321

Electrogenesis associated with proton transfer in the reaction center protein of the purple bacterium *Rhodobacter sphaeroides* (FEB 07986) *L.A. Drachev, M.D. Mamedov, A.Ya. Mulkidjanian, A.Yu. Semenov, V.P. Shinkarev, M.I. Verkhovsky* 324

A new class of antivirals: antisense oligonucleotides combined with a hydrophobic substituent effectively inhibit influenza virus reproduction and synthesis of virus-specific proteins in MDCK cells (FEB 07982) *A.V. Kabanov, S.V. Vinogradov, A.V. Ovcharenko, A.V. Krivonos, N.S. Melik-Nubarov, V.I. Kiselev, E.S. Severin* 327

Calcium-dependent DNA fragmentation in human synovial cells exposed to cold shock (FEB 07989) *M. Perotti, F. Toddei, F. Mirabelli, M. Vairetti, G. Bellomo, D. J. McConkey, S. Orrenius* 331

Palladium(II)-coproporphyrin I as a photoactivable group in sequence-specific modification of nucleic acids by oligonucleotide derivatives (FEB 07987) *O.S. Fedorova, A.P. Savitskii, K.G. Shoikhet, G.V. Ponomarev* 335

A negative cooperativity between NADPH and adrenodoxin on binding to NADPH:adrenodoxin reductase (FEB 07988) *N.K. Čėnas, J.A. Marcinkevičiene, J.J. Kulys, S.A. Usanov* 338

Isolation and sequence determination of human brain natriuretic peptide in human atrium (FEB 07990) *Y. Kambayashi', K. Nakao, M. Mukoyama, Y. Saito, Y. Ogawa, S. Shiono, K. Inouye, N. Yoshida, H. Imura* 341

Tryptophan-130 is the most reactive tryptophan residue in rabbit skeletal myosin subfragment-1 (FEB 07991) *Y.M. Peyser, A. Muhlrad, M.M. Werber* 346

Effect of divalent and monovalent cations on calf thymus PCNA-independent DNA polymerase δ and its 3′→5′ exonuclease (FEB 07998) *F. Focher, A. Verri, G. Maga, S. Spadari, U. Hübscher* 349

A case of Fabry's disease in a patient with no α-galactosidase A activity caused by a single amino acid substitution of Pro-40 by Ser (FEB 07999) *T. Koide, M. Ishiura, K. Iwai, M. Inoue, Y. Kaneda, Y. Okada, T. Uchida* 353

Author index to volume 259 357

Contents to volume 259 362

Notes to Authors 365

FEBS News 367